

NOVA LIGHTING

Commercial Lighting Solutions

Commercial Lighting Product Catalogue

COMMERCIAL & PROJECT LIGHTING SUPPLIER FROM CHINA



SCAN WHATSAPP
+86 19512288796

Company Profile

NOVA LIGHTING

Nova Lighting is a China-based supplier of commercial and project lighting products.



SCAN WHATSAPP

+86 19512288796

Main Products

LED Downlight Spotlight Track Light
Linear Light LED Strip Light
Panel Light Outdoor Lighting

Service Advantages

- Flexible MOQ
- Fast Quotation
- DDP Shipping Available
- OEM & ODM Support

二线导轨条 / Two-Wire Lighting Tracks

本系列产品适用于二线、一回路导轨照明系统，能够稳固安装灯具并供电。导轨条采用优质厚重铝合金挤压型材，内有 2 条导电铜条，具有卓越的导电性能。导电铜的外层采用阻燃 ABS 材料绝缘，确保用户的用电及消防安全。此导轨条可配多种类型的连接器和配件的进行装灯布局。

This series is for two-wire and one-circuit track lighting systems to fix lighting fixtures and provide power. The track rail body was made of premium extruded alum-alloy profile, comes with 2 pieces of copper conducting strips, which are insulated by flame-retarded ABS material. This track rail is compatible with several types of connectors and accessories for versatile lighting layouts and designs.

三线导轨条 / Three-Wire Lighting Tracks

本系列产品适用于三线、一回路导轨照明系统，能够稳固安装灯具并供电。导轨条采用优质厚重铝合金挤压型材，内有 3 条导电铜条，具有卓越的导电性能。导电铜的外层采用阻燃 ABS 材料绝缘，确保用户的用电及消防安全。此导轨条可配多种类型的连接器和配件的进行装灯布局。

This series is for three-wire and one-circuit track lighting systems to fix lighting fixtures and provide power. The track rail body was made of premium extruded alum-alloy profile, comes with 3 pieces of copper conducting strips, which are insulated by flame-retarded ABS material. This track rail is compatible with several types of connectors and accessories for versatile lighting layouts and designs.

四线导轨条 / Four-Wire Lighting Tracks


本系列产品适用于四线、三回路导轨照明系统，能够稳固安装灯具并供电。导轨条采用优质厚重铝合金挤压型材，内有 4 条导电铜条，具有卓越的导电性能。导电铜的外层采用阻燃 ABS 材料绝缘，确保用户的用电及消防安全。此导轨条可配多种类型的连接器和配件的进行装灯布局。

This series is for four-wire and three-circuit track lighting systems to fix lighting fixtures and provide power. The track rail body was made of premium extruded alum-alloy profile, comes with 4 pieces of copper conducting strips, which are insulated by flame-retarded ABS material. This track rail is compatible with several types of connectors and accessories for versatile lighting layouts and designs.




Model No: YZ6203

Round Copper




Model No: YZ6203


Flat copper



Model No: YZ6212A




Model No: YZ6212B




410±10g/M

Model No: YZ6212D




350±10g/M

Model No: YZ6212E




300±10g/M

Model No: YZ6212F




300±10g/M

2 线 A 电源前插 YZ6203-Q Feeder




2 线电源尾塞 YZ6203-W End cap




2 线内接 YZ6203-I Straight connector MINI




2 线直线接驳器 Straight connector




2 线 L 型接驳器 YZ6203-L L- connector




2 线三向接驳器 YZ6203-T T- connector



2 线四向接驳器 YZ6203-X X- connector



2 线多角度接驳器 (软接) YZ6203-F Flexible Connector



Model No: YZ6202-Round Copper



Model No: YZ6202-Flat Copper




Model No: YZ6201




Model No: YZ6206




2 线 A 电源接头 6202-Q Feeder




2 线电源终接 6202-W End cap




2 线直连接器 6201-I I - connector




2 线 L 型连接器 6201-L L - connector




2 线直连接器 6202-I Straight connector




2 线 L 型连接器 6202-L L - connector





2 线三向连接器 6202-T T - connector





2 线四向连接器 6202-X X - connector



Model No: YZ6301



Model No: YZ6302



COLOUR:


WH BK SL

LENGTH:


1000mm/1500mm/2000mm/3000mm




3 线 A 电源接驳器 - 左
Feeder-L




3 线 A 电源接驳器 - 右
Feeder-R




3 线 A 电源终接
End cap




3 线 A 迷你型直线接驳器
Straight connector MINI




3 线 A 直线接驳器
Straight connector




3 线 A L 型接驳器 - 左
L-connector - L




3 线 A L 型接驳器 - 右
L-connector - R




3 线 A 三向接驳器 - 左
T-connector - L




3 线 A 三向接驳器 - 右
T-connector - R




3 线 A 四向接驳器
X-connector



3 线 A 多角度接驳器 (软接)
Flexible Connector



任意角度接驳器
Flexible Connector



Model No: YZ6313




COLOUR:


WH BK SL

LENGTH:


1000mm/1500mm/2000mm/3000mm




3 线 A 电源接驳器 - YZ6313-P Feeder




3 线 A 电源终接 YZ6313- End Cap




3 线 A 迷你型直线接驳器 YZ6313-Mini I Connector




3 线 A 直线接驳器 YZ6313- I Connector




3 线 A L 型接驳器 YZ6313-L Connector




3 线 A 三向接驳器 YZ6313-T Connector




3 线 A 四向接驳器 YZ6313- X Connector




任意角度接驳器 Flexible Connector



3 线 A 多角度接驳器 (软接) YZ6313-Soft Connector



Model No: YZ6303




COLOUR:




LENGTH:

1000mm/1500mm/2000mm/3000mm


3 线 A 嵌入式电源接驳器 - 左 Feeder-L




3 线 A 嵌入式电源接驳器 - 右 Feeder-R




3 线 A 电源终接 End cap




3 线 A 嵌入式直线接驳器 Straight connector




3 线 A 嵌入式 L 型接驳器 - 左 L-connector - L




3 线 A 嵌入式 L 型接驳器 - 右 L-connector - R




3 线 A 嵌入式三向接驳器 - 左 T-connector - L




3 线 A 嵌入式三向接驳器 - 右 T-connector - R





3 线 A 嵌入式四向接驳器 X-connector



任意角度接驳器 Flexible Connector



Model No: YZ6401




COLOUR:

WH BK SL


LENGTH:

1000mm/1500mm/2000mm/3000mm

安装示意图 Installation diagram



Model No: YZ6404




产品介绍 Product introduction


4 线LED灯导轨采用全铝材制造，内置全 新 PVC 绝缘材料压铜条导电。只要电压 220V-240V。多种安装接驳器，可根据设计师的要求，实施多种安装方式，满足各种照明需要。

6-circuit main voltage track in extruded aluminium Main voltage 220-240V. Electrical wiring is located in an extruded PVC insulated housing. The track is supplied with a series of accessories which will successfully resolve almost all types of lighting installation requirements. And also has the facility for direct surface mounting through knockouts at 500mm spacing.


H-04 电源接駁器 - 左
Feeder-L




H-04 电源接駁器 - 右
Feeder-R




H-04 电源终接
End cap




H-04 迷你型直线接駁器
Straight connector MINI




H-04 直线接駁器
Straight connector




H-04 L型接駁器 - 左
L- connector - L




H-04 L型接駁器 - 右
L- connector - R




H-04 三向接駁器 - 左
T- connector - L




H-04 三向接駁器 - 右
T- connector - R




H-04 四向接駁器
X- connector




H-04 任意角度接駁器
Flexible Connector



H-04 多角度接駁器 (软接)
Flexible Connector



Model No: YZ6402




COLOUR:

WH BK SL

LENGTH:

1000mm/1500mm/2000mm/3000mm

安装示意图 Installation diagram




产品介绍 Product introduction


4 线LED灯导轨采用全铝材制造，内置全新 PVC 绝缘材料压铜条导电。只要电压 220V-240V。多种安装接驳器，可根据设计师的要求，实施多种安装方式，满足各种照明需要。

4-circuit main voltage track in extruded aluminium Main voltage 220-240V. Electrical wiring is located in an extruded PVC insulated housing. The track is supplied with a series of accessories which will successfully resolve almost all types of lighting installation requirements. And also has the facility for direct surface mounting through knockouts at 500mm spacing.


H-01 电源接驳器 - 左
Feeder-L




H-01 电源接驳器 - 右
Feeder-R




H-01 电源终接
End cap




H-01 迷你型直连接驳器
Straight connector MINI I




H-01 直连接驳器
Straight connector




H-01 L型接驳器 - 左
L- connector - L




H-01 L型接驳器 - 右
L- connector - R




H-01 三向接驳器 - 左
T- connector - L




H-01 三向接驳器 - 右
T- connector - R




H-01 四向接驳器
X- connector




H-01 多角度接驳器 (软接)
Flexible Connector



H-01 四线吊装线
Fitting



Model No: YZ6403




COLOUR:

WH BK SL

LENGTH:

1000mm/1500mm/2000mm/3000mm

安装示意图 Installation diagram




产品介绍 Product introduction


4 线LED灯导轨采用全铝材制造，内置全 新 PVC 绝缘材料压铜条导电。只要电压 220V-240V。多种安装接驳器，可根据设计师的要求，实施多种安装方式，满足各种照明需要。

4-circuit main voltage track in extruded aluminium Main voltage 220-240V. Electrical wiring is located in an extruded PVC insulated housing The track is supplied with a series of accessories which will successfully resolve almost all types of lighting installation requirements And also has the facility for direct surface mounting through knockouts at 500mm spacing.


H-03 电源接驳器 - 左
Feeder-L




H-03 电源接驳器 - 右
Feeder-R




H-03 电源终接
End cap




H-03 直线接驳器
Straight connector




H-03 L型接驳器 - 左
L- connector - L




H-03 L型接驳器 - 右
L- connector - R




H-03 三向接驳器 - 左
T- connector - L




H-03 三向接驳器 - 右
T- connector - R




H-03 四向接驳器
X- connector



H-03 多角度接驳器 (软接)
Flexible Connector



Model No: YZ6204




COLOUR:

WH BK SL

LENGTH:

1000mm/1500mm/2000mm/3000mm

2 线嵌入式电源接头 Feeder



2 线嵌入式内接 Straight inner mini I connector




2 线嵌入式 L 型接驳器 L- connector




2 线嵌入式四向接驳器 X- connector




2 线嵌入式电源终接 End cap




2 线嵌入式直线接驳器 Straight connector



2 线嵌入式三向接驳器 T- connector



2 线嵌入式多角度接驳器（软接） Flexible Connector




展柜和低压导轨条 / Showcase & Low Voltage Lighting Tracks

本系列产品适用于陈列柜及低压照明系统，能够稳固安装灯具并供电。外壳采用优质挤压铝合金型材，具有良好的散热性。内壳采用阻燃PVC材料能很好地起到绝缘作用，确保用户的用电及消防安全。内装有导电铜条，具有卓越的导电性能。

This series is for showcase and low voltage lighting systems to supply power to lighting fixtures. The exterior body was made of premium extruded alum-alloy profile, and interior housing was made of flame-retarded ABS material, it comes with 2 pieces of copper conducting strips inside, which has high performance at electrical conductivity.



Model No: YZ6501



二线展柜导轨 2 Wires Showcase track

尺寸 Size L17*H15mm

颜色 Finish Black / White

二线插头 2 wires plug

型号 Model No YZ-6501插头

颜色 Finish Black / White


二线取电头 2 wires feeder

型号 Model No YZ6501-D

尺寸 Size L80*W18mm

颜色 Finish Black / White

Model No: YZ6502



三线展柜导轨 3 Wires Showcase track

尺寸 Size L21*H16mm

颜色 Finish Black / White

三线插头 3 wires plug

型号 Model No YZ-6502插头

颜色 Finish Black / White


三线取电头 3 wires feeder

型号 Model No YZ6502-D

尺寸 Size L88*W51mm

颜色 Finish Black / White

Model No: YZ6503



二线背磁软导轨 2 Wires Showcase track

尺寸 Size L18.5*H6.5mm

颜色 Finish Black / White

软导轨取电头 2 wires Soft track rail feeder

型号 Model No YZ6503-D

尺寸 Size L219*W33mm

颜色 Finish Black / White


二线插头 2 wires plug

型号 Model No YZ-6503转接头


颜色 Finish Black / White

35宽桥架导轨条 / SuperMarket Track


Model No: YZ6306




三线桥架电源头前插 feeder YZ6306-Q




三线桥架外I接 Connector YZ6306-I




三线无缝1接 MINI Connector YZ6306-MI




三线桥架外L接L Connector YZ6306-L




三线桥架外T接T Connector YZ6306-T




三线桥架外X接X Connector YZ6306-X




桥架吊装件B款 Track Rail Suspending Part B YZ6216/6306-B




Model No: YZ6216




二线桥架电源头 Feeder YZ6216-Q




二线桥架外I接 Connector YZ6216-I




二线无缝1接 MINI Connector YZ6216-MI




二线桥架外L接L Connector YZ6216-L




二线桥架外T接T Connector YZ6216-T



二线桥架外X接T Connector YZ6216-X





桥架吊装件B款 Track Rail Suspending Part B YZ6216/6306-B




60宽桥架导轨条 / SuperMarket Track


Model No: YZ6222




二线桥架电源头 Feeder YZ6222-Q




桥架尾盖 Bridge tail cover YZ6222/6317-尾盖




二线无缝I接 MINI Connector YZ6222-MI




二线桥架外L接 L Connector YZ6222-L





二线桥架外X接X Connector YZ6222-T




二线桥架外X接 X Connector YZ6222-X




Model No: YZ6317




三线桥架电源头 Feeder YZ6317-Q




桥架吊装件 Track Rail Suspending YZ6222/6317-D




三线无缝I接 MINI Connector YZ6317-MI




三线桥架外L接 L Connector YZ6317-L



三线桥架外X接X Connector YZ6317-T




三线桥架外X接 X Connector YZ6317-X



53宽桥架导轨条 / SuperMarket Track

Model No: YZ6309




COLOUR:

WH BK SL


LENGTH:

1000mm/1500mm/2000mm/3000mm


三线桥架电源头前插 feeder YZ6309-Q




桥架尾盖 Bridge tail cover YZ6309-尾盖




三线无缝i接 MINI Connector YZ6309-MI




三线桥架外接线 Connector YZ6309-L




三线桥架外T接T Connector YZ6309-T




二线桥架外X接 X Connector YZ6309-X




桥架吊装件B款 Track Rail Suspending Part A YZ6216/6306



桥架吊装件B款 Track Rail Suspending Part B YZ6216/6306




桥架吊装件C款 Track Rail Suspending Part C YZ6216/6306




二线导轨 / Two line guide rail


二线小导轨盒 Two-wire small rail box S004




二线十字导轨 Two-wire cross rail box S005




二线双柄导轨盒 Two - wire double box S008




方形导轨头 Square rail adapter S015




二线导轨头 Tow-line rail adapter S023



超薄导轨头 (PC) Ultra-thin rail adapter S006




二线导轨头 Tow-line rail adapter S004-2




三线导轨头 / Three wire guide rail


三线大双柄导轨头 Three wire large double handle rail adapter S013




三线双柄导轨头 Three-wire double handle rail adapter S001




三线导轨头3 Three-wire head adapter S031




三线导轨盒 Three-wire guide box S012




3线超薄导轨头 (PC) Ultra-thin rail adapter S007



方形导轨头 Square rail adapter S015




三线导轨头 Three-wire guide rail box S016




四线导轨头 / Four wire guide rail


四线长电器箱 Four wire long electrical box S030




四线迷你小盒 Four - wire mini box S027




四线导轨盒 (大) Four-wire guide box (big) S028




四线导轨盒 (长) Four-wire guide box (long) S029




四线导轨头 Four wire guide rail S007




四线导轨头 (PC) Four-wire rail adapter S002



小四线导轨头 (PC) Small four-wire rail adapter S014




四线导轨头 短款 Four-wire conjoined (short one) S036-A




五线导轨头 / Five wire guide rail


五线导轨头Five-wire rail adapter S043




五线导轨头Five-wire rail adapter S014




导轨盒-宽盒Rail box - wide box S033




导轨盒-长盒Rail box - long box S034



导轨盒-中盒Guide rail box - middle box S035




导轨盒-迷你盒Guide Box - Mini Box S036




导轨转换盘 Lighting Tracks converter


短转换盘 Conversation Base



长转换盘 Conversation Base



长转换盘 Conversation Base



转换盒选项

Conversation Base Options

☐ 2 Wire ☐ 3Wire ☐ 4 Wire

NOVA LIGHTING

Commercial Lighting Solutions

Commercial Lighting Product Catalogue

COMMERCIAL & PROJECT LIGHTING SUPPLIER FROM CHINA



SCAN WHATSAPP
+86 19512288796